

# **DATA SHEET**

**Product Name Power Flat Alloy Resistors** 

Part Name PFAP Series File No. DIP-SP-034

### Uniroyal Electronics Global Co., Ltd.

88#, Longteng Road, Economic & Technical Development Zone, Kunshan, Jiangsu, China

Tel +86 512 5763 1411 / 22 /33

Email marketing@uni-royal.cn

Manufacture Plant Uniroyal Electronics Industry Co., Ltd.

Aeon Technology Corporation

Royal Electronic Factory (Thailand) Co., Ltd.

Royal Technology (Thailand) Co., Ltd.







#### 1. Scope

- 1.1 This datasheet is the characteristics of Power Flat Alloy Resistors manufactured by UR.
- 1.2 Low inductance
- 1.3 Safety flameroof construction
- 1.4 Thin lightweight body save the PCB space considerably

#### 2. Part No. System

The standard Part No. includes 14 digits with the following explanation:

- 2.1 For Cement Fixed Resistors, these 4 digits are to indicate the product type but if the product type has only 3 digits, the 4<sup>th</sup> digit will be "0" Example: PFAP=PFAP-type
- 2.2 5<sup>th</sup>~6<sup>th</sup> digits:
- 2.2.1 For power of 1 watt to 16 watt ,the 5<sup>th</sup> digit will be a number or a letter code and the 6<sup>th</sup> digit will be the letters of W.

Example: 2W=2W

2.3 The  $7^{th}$  digit is to denote the Resistance Tolerance. The following letter code is to be used for indicating the standard Resistance Tolerance.  $J=\pm 5\%$   $K=\pm 10\%$ 

- 2.4 The 8<sup>th</sup> to 11<sup>th</sup> digits is to denote the Resistance Value.
- 2.4.1 For the standard resistance values of E-24 series, the 8th digit is "0",the 9<sup>th</sup> & 10<sup>th</sup> digits are to denote the significant figures of the resistance and the 11<sup>th</sup> digit is the number of zeros following;
- 2.4.2 The following number s and the letter codes are to be used to indicate the number of zeros in the 11th digit:

$$0=10^0$$
  $1=10^1$   $2=10^2$   $3=10^3$   $4=10^4$   $5=10^5$   
 $6=10^6$   $J=10^{-1}$   $K=10^{-2}$   $L=10^{-3}$   $M=10^{-4}$ 

- 2.5 The 12<sup>th</sup>, 13<sup>th</sup> & 14<sup>th</sup> digits.
- 2.5.1 The 12<sup>th</sup> digit is to denote the Packaging Type with the following codes:

B=Bulk/Box


2.5.2 The 13<sup>th</sup> digit is normally to indicate the Packing Quantity of Tape/Box & Tape/Reel packaging types. Using "0" to indicate the Bulk packaging types, the following letter codes is to be used for some packing quantities:

```
A=500pcs B=2500pcs C=10000pcs
D=20000pcs G=25000pcs H=50000pcs
```

2.5.3 For some items, the 14<sup>th</sup> digit alone can use to denote special features of additional information with the following codes or standard product Example: 0= standard product

#### 3. Ordering Procedure

(Example: PFAP 5W  $\pm 5\%~0.015\Omega~T/B\text{-}1000$  )










#### 4. Marking

Example:




Code description and regulation:

- 1. Wattage Rate
- 2. Nominal Resistance Value
- 3. Resistance Tolerance. J: ± 5%

K: ± 10%


Color of marking: Black Ink


#### 5. Ratings & Dimension



	Dimension(mm)							
Type	A±1.0	B±1.0	C±0.5	d±0.05	P±1.0	H±1.0	Tolerance	Resistance Range
PFAP 2W	13.0	8.5	5.0	0.75	9		±5% \ ±10%	0.01Ω~1Ω
PFAP 3W	14.0	13.5	5.0	0.75	&	4 & 10	±5% \ ±10%	0.01Ω~1Ω
PFAP 5W	14.0	18.0	5.0	0.75	10		±5% \ ±10%	0.01Ω~1Ω
PFAP 10W	26.0	18.0	5.0	0.75	20	10	±5% \ ±10%	0.01Ω-3.3Ω

#### 6. Derating Curve





#### 6.1 Voltage rating

Resistors shall have a rated direct-current (DC) continuous working voltage or an approximate sine-wave root-mean-square (RMS) alternating-current (AC) continuous working voltage at commercial-line frequency and waveform corresponding to the power rating, as determined from the following formula:

$$RCWV = \sqrt{P \times R}$$


Where: RCWV = rated dc or RMS ac continuous working voltage at commercial-line frequency and waveform (VOLT.) P = power rating (WATT.) R = nominal resistance (OHM)

#### 7. Structure









No.	Name	Material Generic Name
1	Ceramic case	Steatite
2	Cement	SiO <sub>2</sub>
3	Terminal	Copper wire Platted with tin
4	Weld point	/
5	Alloy ribbon	Ni & Cr

#### 8. Performance Specification

Characteristic	Limits	Test Methods (GB/T5729&JIS-C-5201&IEC60115-1)			
Temperature Coefficient	$0.01\Omega$ ~ $0.1\Omega$ Please contact uniohm $\ge 0.1\Omega$ : $\pm 350$ PPM/°C;	$ \begin{array}{c} 4.8 \text{ Natural resistance changes per temp. Degree centigrade} \\ \hline R_2\text{-}R_1 \\ \hline \\ R_1(t_2\text{-}t_1) \\ \hline \\ R_1: \text{ Resistance } \dot{\text{Value at room temperature}} \\ (t_1) ; \\ R_2: \text{ Resistance at test temperature} \\ (t_2) \\ t_{1:} +25^{\circ}\text{C or specified room temperature} \\ t_{2:} \text{ Test temperature} \\ (-55^{\circ}\text{C or } 125^{\circ}\text{C}) \\ \end{array} $			
Short-time overload	Resistance change rate must be in $\Delta R/R{\le}{\pm}(2\%{+}0.05\Omega)$ , and no mechanical damage.	4.13 Permanent resistance change after the application of a potential of 2.5 times rcwv for 5 seconds.			
Dielectric withstanding voltage	2000V	4.7 Resistors shall be clamped in the trough of a 90° metallic v-block and shall be tested at ac potential respectively for 60+10/-0 seconds.			
Terminal strength	No evidence of mechanical damage	4.16 Direct load: Resistance to a 2.5 kg direct load for 10 seconds in the direction of the longitudinal axis of the terminal leads.			
Resistance to soldering heat	Resistance change rate must be in $\Delta R/R \le \pm (1\% + 0.05\Omega)$ , and no mechanical damage.	4.18 Permanent resistance change when leads immersed to a point 2.0-2.5mm from the body in 260 °C±5 °C solder for 10±1 seconds.			
Resistance to solvent	No deterioration of protective coating and markings	4.29 Speciments shall be immersed in a bath of sopropanol completely for 3 minutes with ultrasonic.			
Solderability	95% coverage Min.	4.17 The area covered with a new, smooth, clean, shiny and continuous surface free from concentrated pinholes.  Test temp. Of solder:245 °C ±3 °C  Dwell time in solder: 2~3 seconds.			
Humidity ( Steady state )	Resistance change rate must be in $\Delta R/R \le \pm (5\% + 0.05\Omega)$ , and no mechanical damage.	4.24 Temporary resistance change after a 240 hours exposure in a humidity test chamber controlled at $40^\circ\!\!\!\mathrm{C}\!\pm2^\circ\!\!\!\mathrm{C}$ and 90 to 95% relative humidity.			
Load life in humidity	Resistance change rate must be in $\Delta R/R \le \pm (5\% + 0.05\Omega)$ , and no mechanical damage.	7.9 Resistance change after 1,000 hours (1.5 hours "ON", 0.5 hour "OFF") at RCWV in a humidity test chamber controlled at $40^\circ\text{C}\pm2$ $^\circ\text{C}$ and 90 to 95% relative humidity.			







Load life	Resistance change rate must be in $\Delta R/R \le \pm (5\% + 0.05\Omega)$ , and no mechanical damage.	4.25.1 Permanent resistance change after 1,000 hours operating at RCWV with duty cycle of 1.5 hours "ON", 0.5 hour "OFF" at 70°C ±2°C ambient.		
Low Temperature Storage	Resistance change rate must be in $\Delta R/R \le \pm (5\% + 0.05\Omega)$ , and no mechanical damage.	IEC 60068-2-1 (Aa) Lower limit temperature , for 2H.		
High Temperature Exposure	Resistance change rate must be in $\Delta R/R \le \pm (5\% + 0.05\Omega)$ , and no mechanical damage.	MIL-STD-202 108A Upper limit temperature , for 16H.		

#### 9. <u>Note</u>

- 9.1. UNI-ROYAL recommend products store in warehouse with temperature between 15 to 35°C under humidity between 25 to 75%RH. Even under storage conditions recommended above, solder ability of products will be degraded stored over 1 year old.
- 9.2. Cartons must be placed in correct direction which indicated on carton, otherwise the reel or wire will be deformed.
- 9.3. Storage conditions as below are inappropriate:
  - a. Stored in high electrostatic environment
  - b. Stored in direct sunshine, rain, snow or condensation.
  - c. Exposed to sea wind or corrosive gases, such as  $\text{Cl}_2$ ,  $\text{H}_2\text{S}$ ,  $\text{NH}_3$ ,  $\text{SO}_2$ ,  $\text{NO}_2$ , Br etc.

#### 10. Record

Version	Description	Page	Date	Amended by	Checked by
1	First version	1~5	Mar.20, 2018	Haiyan Chen	Nana Chen
2	Modify characteristic	4~5	Feb.26, 2019	Haiyan Chen	Yuhua Xu
3	Modify characteristic	4	Nov.20,2020	Song Nie	Yuhua Xu
4	Modify the temperature coefficient test conditions	4	Nov.07, 2022	Haiyan Chen	Yuhua Xu

<sup>©</sup> Uniroyal Electronics Global Co., Ltd. All rights reserved. Specification herein will be changed at any time without prior notice